

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/615,142	07/09/2003	Victor Menasce	08895114US1	8084
7590 07/20/2007 GOWLING LAFLEUR HENDERSON, LLP			EXAMINER	
Suite 2600			KASRAIAN, ALLAHYAR	
160 Elgin Stree Ottawa, ON KI			ART UNIT	PAPER NUMBER
CANADA			2616	
			MAIL DATE	DELIVERY MODE
			, 07/20/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		•	TH		
		Application No.	Applicant(s)		
		10/615,142	MENASCE ET AL.		
	Office Action Summary	Examiner	Art Unit		
		Allahyar Kasraian	2616		
Period fo	The MAILING DATE of this communication apports Reply	pears on the cover sheet with the c	correspondence address		
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING Donsions of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. O period for reply is specified above, the maximum statutory period our to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tir will apply and will expire SIX (6) MONTHS from a, cause the application to become AB ANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).		
Status	•				
1)🛛	Responsive to communication(s) filed on 05/1	<u>6/07</u> .			
2a)⊠	This action is FINAL . 2b) ☐ This	action is non-final.			
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
	closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 4	53 O.G. 213.		
Disposit	ion of Claims				
5)⊠ 6)⊠ 7)□	Claim(s) 3 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw Claim(s) 1.2 and 4-13 is/are allowed. Claim(s) 3 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or				
Applicat	ion Papers				
10)	The specification is objected to by the Examine The drawing(s) filed on is/are: a) acc Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Examine The specification is objected to be specification.	epted or b) objected to by the drawing(s) be held in abeyance. Se tion is required if the drawing(s) is ob	e 37 CFR 1.85(a). ojected to. See 37 CFR 1.121(d).		
Priority	under 35 U.S.C. § 119				
12) [] a)	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burea. See the attached detailed Office action for a list	ts have been received. Is have been received in Applicat rity documents have been receiv u (PCT Rule 17.2(a)).	ion No ed in this National Stage		
2) Notice 3) Info	nt(s) ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948) rmation Disclosure Statement(s) (PTO/SB/08) er No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal I 6) Other:	ate		

Art Unit: 2616

DETAILED ACTION

Specification

1. Applicant is responsible to correct any error in the specification.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains.

Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the Examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the Examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.

Art Unit: 2616

2. Ascertaining the differences between the prior art and the claims at issue.

3. Resolving the level of ordinary skill in the pertinent art.

4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

3. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Gronke (U.S. Patent Application Publication # 2002/0071386 A1) in view of Kanai et al (U.S. Patent # 5,862,403 A) and further in view of Blumenau et al. (U.S. Patent # 6,295,575 B1).

Consider **claim 3**, Gronke clearly shows and discloses a method of fault tolerance in a network (lines 3-6 of paragraph 002) having a primary fabric (FIG. 6, FABRIC B) a replacement fabric (FIG.6 FABRIC A) and an endpoint (FIG. 6, NODE 1), said endpoint (FIG. 6, NODE 1) including a port (FIG. 6 local ports P₁ and P_N), the port including a plurality signal resources dividable into at least a first resource subset (see description of "channel context" in paragraph 0040, and lines 6-8 of paragraph 0041 where it says, "change port number from P_N to P₁, which changes the channel context for node 1") and a second resource subset ("a new context" in line 5 of paragraph 0041), said port configurable (FIG. 7, VIRTUAL_TO PHYSICAL PORT MAP, and lines 1-3 of paragraph 0045) in a plurality of configurations

said method comprising the steps:

configuring the port (see lines 7-8 of paragraph 0045, where it says, "... a port mapper would then assign a physical port (PP_N) to the virtual port

Art Unit: 2616

 (VP_N) for the channel.") as a first interface (FIG. 6, local port P_N) incorporating the first resource subset (see description of "channel context" in paragraph 0040, and lines 10-13 of paragraph 0044), detecting a failure of communication at said endpoint, (see lines 1-2 of paragraph 0040, where it says, "if node 1 detects a failure or error on local port (port N) or an error of failure with the fabric (fabric b)...") configuring the port as a second interface incorporating the second resource subset.

and initiating communications at said second interface, terminating communications at said first interface (see lines 1-5 of paragraph 0041 and also lines 11-17 of paragraph 0045),

(Gronke clearly describes the method in details from paragraphs 0041 to 0045.)

Gronke fails to disclose recovering data lost in the failure.

However, in the same field of endeavor, Kanai et al. clearly show and disclose recovering data lost in the failure (see lines 19-23 of column 6 where it says, "an apparatus having connection ports for a plurality of disk devices, which is capable of realizing a recovery of the lost data due to a malfunction of a connected disk device by means of a compact hardware configuration").

Therefore, it would have been obvious to a person of ordinary skills in the art at the time the invention was made to incorporate the data lost recovery

Art Unit: 2616

method taught by Kanai et al. to the port disclosed by Gronke for purpose of continuing data communication in a port in event of connection failure. The proper motivation is to retrieve data in communication failure in a node with plurality of connectors.

However, Gronke as modified by Kanai et al. fail to disclose the port including a plurality of busses; and including switching one or more operational connections between the plurality of buses and the plurality of signal resources (when configuring the port as second interface incorporating the second resources subset).

In the same field of endeavor, Blumenau et al. clearly show and disclose the port including a plurality of busses (see Fig. 22 for the buses inside Port Adapters 260 and 261); and including switching one or more operational connections (see FIG. 22 for the switches inside Port Adapters 260 and 261) between the plurality of buses and the plurality of signal resources (see Fig. 22 for the buses inside Port Adapters 260 and 261 and the Virtual Ports as applied to the resources disclosed by Gronke).

Therefore, it would have been obvious to a person of ordinary skills in the art at the time the invention was made to incorporate the port adapters with plurality of buses and switching operation connections between plurality of buses as taught by Blumenau et al. to the ports P₁ and P_N and the resources of the node 1 disclosed by Gronke as modified by Kanai et al. for purpose of continuing communication when a failure in connectors or switches happen in a port. The

Art Unit: 2616

11/00/11/01/14/11/02/1: 10/010,1-

proper motivation is to switch the signals through different paths inside of a communication node in the event of failure.

However, Gronke as modified by Kanai et al. and further as modified by Blumenau et al. fail to disclose expressly notifying said primary fabric to terminate communications, notifying said replacement fabric to initiate communications.

At the time in invention was made, it would have been obvious to a person of ordinary skill in the art to instead of sending notification from endpoint (node 1 in FIG. 6 disclosed by Gronke) to the primary fabric (see FIG. 6 for FABRIC B. disclosed by Gronke) and to replacement fabric (see FIG. 6 for FABRIC A disclosed by Gronke) to terminate and initiate communications, the node 1 detects the failure, ends its communication with the first fabric (FABRIC B in FIG. 6 of Gronke) and re-establishes its communication with the secondary fabric (FABRIC A in FIG. 6 of Gronke). Furthermore, applicant has not disclosed the termination and initiation of communications done by fabrics provides an advantage or solves a problem. One of ordinary skill in the art, furthermore, would have expected applicant's invention to perform equally well with the ending and starting communications have been done by the node 1 without informing the fabrics (as disclosed by Gronke in FIG.6 and paragraphs 0040 to 0045) because it is the matter of Design Choise to consider which point (node1 or a fabric) ends or starts communications.

Art Unit: 2616

Therefore, it would have been obvious to one of ordinary skill in this art to modify the end point (node1) as disclosed by Gronke as modified by Kanai et al. and further as modified by Blumenau et al. to obtain the invention as specified in claim.

Allowable Subject Matter

- 4. Claims 1-2,4-11,12 and 13 are allowed.
- 5. The following is a statement of reasons for the indication of allowable subject matter:

Consider claim 1, the best prior art found during the examination of the present application, Pecone (U.S. Patent # 7,062,591 B2) fails to specially disclose, teach or suggest a port for connecting to switching fabric comprising a fault mode control (see FIG. 4 for control 214) operably coupled to the first bus and the second bus for selectively configuring the port as at least one of a first interface, a second interface and a third interface in combination with other limitations, a plurality of signal resources dividable into at least a first resource subset (see FIG. 4 for Switched PCIX Path 208) and a second resource subset (see FIG. 4 for Switched PCIX Path 212) a first bus having a first bus section (see FIG. 4 for the bus connected between blocks 208 and 144a and the first bus subsection connected to block 216) connected to the first resource subset (see FIG. 4 for block 208) and the second bus section connected to the second resource subset (see

Art Unit: 2616

FIG. 4 for the bus connected between blocks 144b and 212, and the second bus section connected to block 216); said first interface (see FIG. 4 for Bus Interface port 144a) incorporating said first resource subset (see FIG. 4 for Switched PCIX Path 208)... said second interface (see FIG. 4 for PCIX Interface 236) incorporating said first resource subset (see FIG. 4 for Bus Interface 144b) and said second resource subset (see FIG. 4 for Switched PCIX Path 212), said third interface (see FIG. 4 for Bus interface Port 144b) incorporating said second resource subset (see FIG. 4 for Switched PCIX Path 212).

Consider claim 12, the best prior art found during the examination of present application, Gronke (U.S. Patent Application Publication # U.S. 2002/0071386 A1) fails to disclose a network comprising a plurality of endpoints, each having the port of claim 1 in combination with other limitations.

Claim 13 is allowed for the same reason(s) as set forth in claim 1.

Response to Arguments

6. Applicant's arguments with respect to **claim 3** have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Page 9

Application/Control Number: 10/615,142

Art Unit: 2616

7. The prior art made of record and not relied upon is considered pertinent to Applicant's disclosure.

- a. Arp et al. (U.S. Patent # 5,925,120) disclose Self-contained high speed repeater/lun converter which controls all SCSI operations between the host SCSI bus and local SCSI bus
- b. Bergsten (U.S. Patent Application Publication # 2003/0204770 A1)
 disclose System and Method for optimizing Fault Tolerant Storage
 Controllers.
- 8. Any response to this Office Action should be **faxed to** (571) 273-8300 **or mailed to**:

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Hand-delivered responses should be brought to

Customer Service Window Randolph Building 401 Dulany Street Alexandria, VA 22314

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Allahyar Kasraian whose telephone number is (571) 270-1772. The examiner can normally be reached on Monday through Friday 8:00 a.m. to 5:00 p.m.

Application/Control Number: 10/615,142 Page 10

Art Unit: 2616

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kenneth Vanderpuye can be reached on (571) 272-3078. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Allahyar Kasraian AK/ak July 16, 2007

> KENNETH VANDERPUYE SUPERVISORY PATENT EXAMINER